


2012 TAS  
ACCESSIBLE PARKING SPACES  
RULE CHANGE

TEXAS ACCESSIBILITY STANDARDS  
CHAPTER 68 ADMINISTRATIVE RULES


68.104. Accessible Parking Spaces

- (a) A paved accessible parking space must include:
- (1) the International Symbol of Accessibility painted conspicuously on the surface in a color that contrasts the pavement;
  - (2) the words "NO PARKING" painted on any access aisle adjacent to the parking space. The words must be painted:
    - (A) in all capital letters;
    - (B) with a letter height of at least twelve inches, and a stroke width of at least two inches; and
    - (C) centered within each access aisle adjacent to the parking space; and
  - (3) a sign identifying the consequences of parking illegally in a paved accessible parking space. The sign must:
    - (A) at a minimum state "Violators Subject to Fine and Towing" in a letter height of at least one inch;
    - (B) be mounted on a pole, post, wall or freestanding board;
    - (C) be no more than eight inches below a sign required by Texas Accessibility Standards, 502.6; and
    - (D) be installed so that the bottom edge of the sign is no lower than 48 inches and no higher than 80 inches above ground level.
- (b) A parking space identification sign that complies with Texas Accessibility Standards, 502.6, that includes the requirements in subsection (a)(3)(A) satisfies subsection (a)(3).



SYMBOL IS REQUIRED AND MUST BE CLEARLY PAINTED IN A CONTRASTING COLOR

THE WORDS "NO PARKING" MUST BE CENTERED IN THE ACCESS AISLE



IDENTIFICATION SIGNAGE REQUIREMENTS HAVE NOT CHANGED PER TAS SECTION 502.6

NEW SIGN REQUIRED TO INCLUDE THE LANGUAGE "VIOLATORS SUBJECT TO FINE AND TOWING" IN 1" MINIMUM HIGH LETTERS, BOTH SIGNS MAY BE COMBINED

SIGNS MUST BE MOUNTED ON A POLE, WALL OR FREESTANDING BOARD

**EFFECTIVE DATE:**

If TDLR Project Registration was required, then any project registered on or after 08/01/2020 shall comply with Rule 68.104.

If TDLR Project Registration was not required, then any project where Commencement of Construction occurs on or after 08/01/2020 shall comply with Rule 68.104.